

Vision Related Literature on Acquired Brain Injury

Updated October 2017

1. Aksionoff, E.B., Falk, N.S. The differential diagnosis of perceptual deficits in traumatic brain injury patients. *J Am Optom Assoc.* 1992; 63: 554-8.
2. Aksionoff, E.B., Falk, N.S. Optometric therapy for the left brain injured patient. *J Am Optom Assoc.* 1992; 63: 564-8.
3. Alesterlund, L., Maino, D. That the blind may see: A review: Blindsight and its implications for optometrists. *J Optom Vis Dev.* 1999; 30(2): 86-93
4. Anderson, D.C. et al. The dizzy patient: a review of etiology, differential diagnosis, and management. *J Am Optom Assoc.* 1995; 66: 545-558.
5. Bronstein, A.M. Vision and vertigo: some visual aspects of vestibular disorders. *Journal of Neurology.* 2004; 251: 381-387.
6. Bucci, M.P., Kapoula, Z., Yang, Q., Wiener-Vacher, S., & Bremond-Gignac, D. Abnormality of vergence latency in children with vertigo. *Journal of Neurology.* 2004; 26: 204-213.
7. Chandrasekhar, S., Kapoor, N. Neuro-optometric evaluation as a useful adjunct in the management of the complex dizzy patient. Annual meeting of the American Neurotology Society in San Diego, CA April 28, 2007.
8. Chang, T.T., Ciuffreda, K.J., and Kapoor, N. Critical flicker frequency and related symptoms in mild traumatic brain injury. *Brain Injury* 2007; 21: 1055-1062.
9. Chang, A., Cohen, A.H., Kapoor, N. Top-down visual framework for optometric vision therapy for those with traumatic brain injury. *Optometry and Visual Performance.* 2013; Vol. 1 Issue 2: 82-93.
10. Chokron, S., Perez, C., Obadia, M., Gaudry, I., Laloum, L., Gout, O., From blindsight to sight: cognitive rehabilitation of visual field defects, *Restorative Neurology and Neuroscience* 2008; 26: 305.
11. Ciuffreda, K.J. The efficacy of and scientific basis for vision therapy in non-strabismic accommodative and convergence disorders. *Optometry* 2002; 73: 735-762.
12. Ciuffreda, K.J., Han, Y., Kapoor, N., Ficarra, A.P. Oculomotor rehabilitation for reading in acquired brain injury. *NeuroRehabil.* 2006; 21(1): 9-21.
13. Ciuffreda, K.J., Kapoor, N., Han, Y. Reading-related ocular motor deficits in traumatic brain injury. *Brain Inj/Professional* 2005; 2: 16-20.
14. Ciuffreda, K.J., Kapoor, N., Rutner, D., Suchoff, I.B., et al. Occurrence of oculomotor dysfunctions in acquired brain injury: A retrospective analysis. *J Am Optom Assn.* 2007; 78: 155-161.
15. Ciuffreda, K.J., Ludlam, Kapoor, N. Conceptual Model of Optometric Vision Care in Mild Traumatic Brain Injury. *J Behav Optom.* 2015; 22:10-12.
16. Ciuffreda, K.J., Ludlam, Kapoor, N. Clinical oculomotor training in traumatic brain injury. *Optom Vis Dev.* 2009; 40(1): 16-23.
17. Ciuffreda, K.J., Rutner, R., Kapoor, N., Suchoff, I.B. Vision therapy for oculomotor dysfunctions in acquired brain injury. *Optometry-J Am Optom Assn.* 2008; 79: 18-22.
18. Ciuffreda, K.J., Suchoff, I.B., Marrone, M.A., et al. Oculomotor rehabilitation in traumatic brain-injured patients. *J Behav Optom.* 1996; 7: 31-8.
19. Ciuffreda, K.J., Suchoff, I.B., Kapoor, N., et al. Normal vision function. In: Downey & Darling's *Physiological Basis of Rehabilitation Medicine*, 3rd ed. Gonzalez, E.G., Myers, S.J., Edelstein, J.E., et al., eds. Boston: Butterworth-Heinemann, 2001; 241-61.
20. Ciuffreda, K. J., and Tannen, B., *Eye Movement Basics for the Clinician*, Mosby, St. Louis, MO, 1995.
21. Clark JF, Gram P, Ellis JK, Mangine RE, et al. An exploratory study of the potential effects of vision training on concussion incidence in football. *Optom Vis Perf* 2015;3(2):116-25
22. Cohen, A.H. Optometric management of binocular dysfunctions secondary to head trauma: case reports. *J Am Optom Assoc.* 1992; 63: 569-75.
23. Cockerham, G.C., Goodrich, G.L., Weichel, E.D., et al. Eye and Visual function in traumatic brain injury. *JRRD.* 2009; 46(6): 811-818.
24. Cockerham, G.C., Lemke, S., Glynn-Milley, C., Zumhagen, L., and Cockerham, K.P. Visual performance and the ocular surface in traumatic brain injury. *Ocul Surf* 2013; Jan 11(1); 25-34.
25. Cohen, A.H. Vision rehabilitation for vestibular dysfunction: The role of the neuro-optometrist. *NeuroRehabilitation* 2013; 32: 483-492.
26. Cohen, A.H., Rein, L.D. The effect of head trauma on the visual system: the doctor of optometry as a member of the rehabilitation team. *J Am Optom Assoc.* 1992; 63: 530-6.
27. Cohen, A.H. Acquired visual information-processing disorders: Closed head trauma. In: Press LJ, ed. *Applied Concepts in Vision Therapy*. St. Louis: Mosby, 1997: 154-67.

28. Cohen, A.H. Optometric rehabilitative therapy. In: Press LJ, ed. *Applied Concepts in Vision Therapy*. St. Louis: Mosby. 1997: 278-86.
29. Cohen, A.H. The role of optometry in the management of vestibular disorders. *Brain Injury/Professional* 2005; 2: 8-10.
30. Cohen, A.H. Management of patients with hemianopic visual field loss. *J College of Optom in Vision Dev* 2003; 34: 111-18.
31. Convergence Insufficiency Treatment Trial Group. Randomized clinical trial treatments for symptomatic convergence insufficiency in children. *Arch Ophthalmol*. 2008; 126: 1336-1349.
32. Cooper, J. Deflating the rubber duck. *J Behav Opt* 1998; 9(5): 115-119.
33. Craig, S., Kapoor, N., et al. Profile of selected aspects of visually symptomatic individuals with acquired brain injury: A Retrospective Study. *J Behav Optom*. 2008; 19: 1-10.
34. Du, T., Ciuffreda, K.J., Kapoor, N. Elevated dark adaptation in traumatic brain injury. *Brain Injury* 2005; 19(13): 1125-38.
35. Falk, Naomi S. and Aksionoff, Elizabeth B. The primary care optometric evaluation of the traumatic brain injury patient. *J Am Optom Assoc*. 8/1992; 63(8),
36. Fox, R.S. The rehabilitation of vergence and accommodative dysfunctions in traumatic brain injury. *Brain Injury/Professional* 2005; 2: 12-15.
37. Galetta, M.S., Galetta, K.M., McCrossin, J., Wilson, J.A., Moster, S., Galetta, S.L., and Balcer, L.J. Dorshimer GW, and Master, C.L. Saccades and memory: baseline associations of the King-Devick and SCAT2 SAC tests in professional ice hockey players. *J Neurol Sci*. 2013; 328: 28-31.
38. Gianutsos, R., Ramsey, G. Enabling rehabilitation optometrists to help survivors of acquired brain injury. *J Vis Rehabil*. 1988; 2(1): 37-58.
39. Gianutsos, R., Suchoff, I.B. Neuropsychological consequences of mild brain injury and optometric implications. *J Behav Optom*. 1998; 9(1): 3-6.
40. Gianutsos, R., Suchoff, I.B. Visual fields after brain injury: management issues for the occupational therapist. In: Scheiman, M., ed. *Understanding and Managing Vision Defects-A Guide for Occupation Therapists*,2nd edition. Thorofare, N.J.: Slack, 2002: 248-62.
41. Goodrich, L., Kirby, J., et al. Visual Function in Patients of a Polytrauma Rehabilitation Center: A descriptive Study. *J of Rehabilitation Research and Development November* 2007: 44: 929-936.
42. Goodrich, G.L., et al. Development of a mild traumatic brain injury-specific vision screening protocol: a Delphi study. *JRRD*. 2013; 50(6): 757-768.
43. Gottlieb, D.D., Freeman, P., Williams, M. Clinical research and statistical analysis of a visual field awareness system. *J Am Optom Assoc*. 1992; 63: 581-8.
44. Gottlieb, D.D., Fuhr, A., Hatch, W.V., et al. Neuro-optometric facilitation of vision recovery after acquired brain injury. *Neuro-rehab* 1998; 11: 175-99.
45. Green, W., Ciuffreda, K.J., Thiagarajan, P., Szymanowicz, D., Ludlam, D.P., Kapoor, N. Accommodation in mild traumatic brain injury. *Journal Rehabilitation Research and Development* 47(3) 2010: 183-200.
46. Greenwald, B.D., Kapoor, N., Singh, A.D. Visual impairments in the first year after traumatic brain injury. *Brain Injury* 2012; 26(11): 1338-59.
47. Han, Y., Ciuffreda, K.J., Kapoor, N. Reading-related oculo-motor testing and training protocols for acquired brain injury in humans. *Brain Res Protoc*. 2004; 14(1): 1-12.
48. Han, M. H., Craig, S. B., Rutner, D., Kapoor, N., Ciuffreda, K. J., Suchoff, I. B., Medications prescribed to brain injury patients: a retrospective analysis, *Optom*. 2008; 79: 252.
49. Harrison, R.J. Loss of fusional vergence with partial loss of accommodative convergence and accommodation following head injury. *Binoc Vis*. 1987; 2(2): 93-100.
50. Hellerstein, L.F. Visual problems associated with brain injury. In: Scheiman, M., ed. *Understanding and Managing Vision Defects-A Guide for Occupational Therapists*, 2nd edition. Thorofare, N.J: 2002: 178-85.
51. Hellerstein, L.F. Visual rehabilitation for patients with brain injury. In: Scheiman, M., ed. *Understanding and Managing Vision Defects-A Guide for Occupational Therapists*, 2nd edition. Thorofare, N.J: 2002.
52. Hellerstein, L.F., Fishman, B.I. Vision therapy and occupational therapy: An integrated approach. *J Behav Optom*. 1990; 1(5): 122-126.
53. Hellerstein, L.F., Fishman, B.I. Collaboration between occupational therapists and optometrists. *OT Pract*. 6/99; 22-30.
54. Hellerstein, L.F., Freed, S. Rehabilitative optometric management of a traumatic brain injury patient. *J Behav Optom*. 1994; 5(6): 143-8.
55. Hellerstein, L.F., Freed, S., Maples, W.C. Vision profile of patients with mild brain injury. *J Am Optom Assoc*. 1995; 66: 634-9.
56. Heitger, M.H. et al. Eye movement and visuomotor arm movement deficits following mild closed head injury. *Brain* 2004; 127(3): 575-590.
57. Herdman, S.J. Patients with vestibular disorders, part II. Postgraduate advances in Physical Therapy, APTA 1987: 1-16.

58. Hillier, C.G. Vision rehabilitation following acquired brain injury: a case series. *Brain Injury/Professional* 2005; 2: 30-32.
59. Hinrichs, C.A. Vision rehabilitation for the multiply challenged child. *J Optom Vis Devl* 6/1992; 23(2): 9-13.
60. Iskander, D., Cohen, A.H., Kapoor, N. Optometricmanagement of a patient with a parietal lobe injury. *Journal of Behav Optom* 2011; 21(6): 143-149
61. Jackowski, M.M., Sturr, J.F., Taub, H.A., Turk, M.A. Photophobia in patients with traumatic brain injury: uses of light-filtering lenses to enhance contrast sensitivity and reading rate. *Neuro-rehab* 1996; 6: 193-202.
62. Jackowski, M.M., Sturr, J.F., Turk, M.A., Friedman, D.I. Clinical indications of altered peripheral field function in patients with traumatic brain injury. *Invest Ophthalmol Vis Sci* 1999; 40 (4): 32 (supplement).
63. Julkunen, L., Tenvuuo, O., Jaaskelainen, S., et al. Rehabilitation of chronic post-stroke visual field defect with computer-assisted training: a clinical and neurophysiological study. *Restorative Neurology and Neuroscience*. 2003; 21: 19-28.
64. Kapoor, N., Ciuffreda, K.J. Vision disturbances following traumatic brain injury. *Current Treatment Options in Neurol.* 2002; 4: 271-280
65. Kapoor, N., Ciuffreda, K.J., Suchoff, I.B. Egocentric localization in patients with visual neglect. In: Suchoff, I.B., Ciuffreda, K.J., Kapoor, N., eds. *Visual and Vestibular Consequences of Acquired Brain Injury*. Santa Ana, CA: Optometric Extension Program, 2001: 131-144.
66. Kapoor, N., Ciuffreda, K.J., Han, Y. Oculomotor rehabilitation in acquired brain injury: A case series. *Arch Phys Med Rehabil* 2005; 1667-78.
67. Kapoor, N., Ciuffreda, K.J. Vision problems. In: Silver JM, McAllister TW, Yudofsky SC, eds. *Textbook of traumatic brain injury*. Washington, DC: American Psychiatric Publishing, Inc, 2005: 405-15.
68. Kapoor, N., Ciuffreda, K.J. Vision deficits following acquired brain injury. In *Medical management of adults with neurological disabilities*. (Edited by Cristian A.) Demos Medical Publishing. New York, NY, pp. 407-423.
69. Kapoula, Z., Gaertner, C., Yang, Q., Denise, P., Toupet, M. Vergence and standing balance in subjects with idiopathic bilateral loss of vestibular function. *PLoS ONE* 2013; 8(6): e66652.
70. Katz, R.T., Golden, R.S., Butter, J., Tepper, Rothke, S., Holmes, J. Driving safety after brain damage: follow-up of twenty-two patients with matched controls. *Arch Phys Med Rehabil* 2/1990; 71: 133-137.
71. King, D., Brughelli, M., Hume, P., and Gissane, C. Assessment. Management and knowledge of sport-related concussion: a systematic review. *Sports Med Jan* 9 2014.
72. King D, Brughelli M, Hume P, and Gissane C. Concussions in amateur rugby union identified with the use of a rapid visual screening tool. *J Neurol Sci* 2013; 326: 59-63.
73. King, D., Clark, T., Gissane, C. Use of a rapid visual screening tool for the assessment of concussion in amateur rugby league: a pilot study. *J Neurol Sci.* 2012; 320: 16-21.
74. Kravitz, D., Saleem, K.S., Baker, C.I., Mishkin, M. A new neural framework for visuospatial processing. *Nature Reviews*, Volume 12. April 2011.
75. Kutcher, J.S., Giza, C.C. Sideline assessment of sports concussion: the lure of simplicity. *Neurology* 76 2011: 1450-1.
76. Lachapelle, J., Bolduc-Teasdale, J., Ptito, A., McKerral, M., Deficits in complex visual information processing after mild TBI: electrophysiological markers and vocational outcome prognosis, *Brain Inj*, 2008; 22: 265.
77. Leslie, S. Myopia and accommodative insufficiency associated with moderate head trauma. *Optom Vis Dev.* 2009; 40(1): 25-31.
78. Leigh, R.J., Zee, D.S. *The neurology of eye movements*. 4th Ed. New York; Oxford University Press.
79. Lowell, L., Cohen, A.H., Kapoor, N. Optometric managemtn of visual squelae of frontal lobe-related traumatic brain injury. *Journal of Behav Optom.* 2010; 21(1): 3-11.
80. Ludlam, W.M. Rehabilitation of traumatic brain injury with associated visual dysfunction—a case report. *Neuro-rehabilitation* 1996; 6: 183-92.
81. Maino, D.M. Diagnosis and management of special populations. Mosby, St. Louis 1995.
82. Maino, D. Neuroplasticity: Teaching an old brain new tricks. *Rev Optom.* 2009; 46(1): 62-64,66-70.
83. Mandese, M. Oculo-visual evaluation of the patient with traumatic brain injury. *Optom Vis Dev.* 2009; 40(1): 37-44.
84. Margolis, N. W., and Suter, P. S., Visual field defects and unilateral spatial inattention: diagnosis and treatment, *J Behav Optom.* 2006; (17): 31.
85. Master
86. McCabe, Patricia, M.P.N., P.T., and Bergman, Susan Biener, M. D., Vision Rehabilitation for Psychiatry Residents: A Model Curriculum. *Am J of Phys Med and Rehab*, Vol. 78, No. 4, 389-391, July/August 1999.
87. McKenna, K., Cooke, D.M., Fleming, J., Jefferson, A., and Ogden, S., The incidence of visual perceptual impairment in patients with severe traumatic brain injury, *Brain In* 2006; (20): 507.
88. Mosimann, U.P., Muri, R.M., Felblinger, J., Radanov, B.P. Saccadic eye movement disturbances in whiplash patients with persistent complaints. *Brain.* 2000; 123(4): 828-835.
89. Nelms, A.C. New visions—collaboration between OTs and optometrists can make a difference in treating brain injury. *OT Practice* 7/17 & 31/2000; 31: 15-8.
90. Padula, W.V. A Behavioral Vision Approach for Persons with Physical Disabilities. *Optom Exten Prog.* 1988.

91. Padula, W.V. Neuro-optometric Rehabilitation for Persons with a TBI or CVA. *J Optom Vis Develop.* 6/92; (23): 4-8.
92. Padula, W. Visual evoked potentials (VEP) evaluating treatment for post-trauma vision syndrome (PTVS) in patients with traumatic brain injuries (TBI). *Brain Inj.* 1994; 8: 125-33.
93. Padula, W.V., Argyris, S., Ray, J., Visual evoked potentials (VEP) evaluating treatment for post-trauma vision syndrome (PTVS) in patients with traumatic brain injuries (TBI), *Brain Inj.* 1994; 125(8).
94. Padula, W.V., Politzer, T., Simmons-Grab, et al. Visual Dysfunction Following a Neurological Event. *J Rehab Prof* 1-3/2001.
95. Padula, W.V., Shapiro, J.B., Jasin, P. Head injury causing post trauma vision syndrome. *N Engl J Optom* 1988; 41(2): 16-21.
96. Padula, W.V., Shapiro, J.B., Jasin, P. Head Injury Causing Post Trauma Vision Syndrome. *N Engl J Optom.* 1988; 12: 17-20.
97. Padula, W.V., Susan, G. Post Trauma Vision Syndrome: Part I. Inside View Newsletter, The Centre for Neuro Skills, Issue 8.3, ISSN# 1065-7320, Summer 1999, 1-3.
98. Padula, W.V., Susan, G. Post Trauma Vision Syndrome: Part II. Inside View Newsletter, The Centre for Neuro Skills, Issue 8.4, ISSN# 1065-7320, Fall 1999. 1-3.
99. Park E, Bell JD, Baker AJ. Traumatic brain injury; Can the consequences be stopped? *Canadian Med Assoc.* 2008; 178(9): 1163-70.
100. Patel, R., Ciuffreda K.J., Tannen, B., Kapoor, N. Elevated coherent motion thresholds in mild traumatic brain injury. *Optometry.* 2001; 82(5): 284-9.
101. Peli, E., Vision multiplexing: An engineering approach to vision rehabilitation device development, *Optom Vision Sci.* 2001; (78) 304.
102. Politzer, T.A. Case studies of a new approach using partial and selective occlusion for the clinical treatment of diplopia. *NeuroRehab* 1996; 6: 213-217.
103. Raymond, M.J., Bennett, T.L., Malia, K.B., Bewick, K.C. Rehabilitation of visual processing deficits following brain injury. *NeuroRehab* 1996; 6: 229-240.
104. Proctor A. Traumatic brain injury and binasal occlusion. *OptVis Dev* 2009; 40(1): 45-50.
105. Reinhard, J., Schreiber, A., Schiefer, U., Kasten, E., Sabel, B. A., Kenkel, S., Vonthein, R., Trauzettel-Klosinski, S., Does visual restitution training change homonymous visual field defects? A fundus controlled study, *British Journal of Ophthalmology,* 89, 30, 2005.
106. Ringman, et. al. Frequency, risk factors, anatomy and course of unilateral neglect in an acute stroke cohort. *Neurology* 2004; 63(3): 468-474
107. Roberts S. Visual disorders of higher cortical function. *J Am Optom Assoc.* 1992; 63: 723-32.
108. Rosenthal, M.; Griffith, E.R.; Bond, R.; Miller, J.D. Rehabilitation of the adult & child with traumatic brain injury. Ed. #2 F.A. Davis Company, Philadelphia Second Edition.
109. Rossetti, et.al. Prism adaptation to a rightward optical deviation rehabilitates left hemispatial neglect. *Nature* 1998;395(6698):166-9
110. Roy, Raymond R. The role of binocular stress in the post-whiplash syndrome. *Amer. J. of Optom Arch Am Acad Optom.* Nov. 1961; 625-635.
111. Rutner, D., Kapoor, N., Ciuffreda, K.J., Craig, S., et al. Occurrence of ocular disease in traumatic brain injury in a selected sample: A retrospective analysis. *Brain Inj* 2006; 20(10): 1079-86.
112. Rutner, D., Kapoor, N., Ciuffreda, K.J., Suchoff, I.B., et al. Frequency of occurrence of ocular disease in symptomatic individuals with acquired brain injury. A clinical management perspective. *J Behav Optom* 2007; 18: 31-36.
113. Sabates, Nelson, R., MD; Gonce, Mark A., MD; Farris, Bradley K., MD, Neuro-ophthalmological Findings in Closed Head Trauma. *J Clin Neuro-Ophthal.* 11(4), 1991;273-277.
114. Sambur, I., Chandrasekhar, S., Kapoor, N. Migraine-associated dizziness: neuro-optometric findings and treatment. Annual meeting of the American Neurotology Society in Las Vegas NV on May 2, 2010.
115. Scheiman, M., Gallaway, M. Vision therapy to treat binocular vision disorders after acquired brain injury: factors affecting prognosis. In: Suchoff, I.B., Ciuffreda, K.J., Kapoor, N., eds. *Visual and Vestibular Consequences of Acquired Brain Injury.* Santa Ana, CA: Optom Ext Prog, 2001: 89-113.
116. Scheiman, M., Mitchell, L., Cotter, S., Cooper, J., Kulp, M., Rouse, M., Borsting, E., London, R., and Wensveen, J. for the Convergence Insufficiency Treatment Trial Study Group. A randomized clinical trial for treatments for convergence insufficiency in children. *Arch Ophthalmol.* 2005; 123: 14-24.
117. Scheiman, M., Wick, B. Binocular and accommodative problems associated with acquired brain injury. In: Scheiman, M., Wick, B. eds. *Clinical Management of Binocular Vision- Heterophoric, Accommodative, and Eye Movement Disorders,* 2nd edition. Philadelphia, PA: Lippincott Williams & Wilkins, 2002: 573-95.
118. Schrapp, L., Ciuffreda, K., Kapoor, N. Foveal versus eccentric retinal critical flicker frequency in mild traumatic brain injury. *Optometry.* 2009; 80 (11): 642-650.
119. Shumway-Cook, A., Horak, F.B. Rehabilitation strategies for patients with vestibular deficits. *Neur Clin* 5/90; 8(2): 441-457.

120. Scharnweber AR, Palmer GA, Ampe HJ, Lenzen-Hammerel AM. Vision rehabilitation for traumatic brain injury and post-traumatic stress disorder. *Vision Dev & Rehab* 2016;2(2): 132-9
121. Shumway-Cook, A., Horak, F.B. Vestibular rehabilitation: an exercise approach to managing symptoms of vestibular dysfunction. *Seminars in Hearing* 5/89; 10(2): 196-209.
122. Stoerig, P., and Cowey, A., Blindsight. *Current Biology* 2007;17(19), R822.
123. Streff, J.W. Visual rehabilitation of hemianoptic head trauma patients emphasizing ambient pathways. *Neuro-rehab* 1996; 6: 173-81.
124. Suchoff, I.B. The diagnosis of visual unilateral spatial inattention. *Brain Injury/Professional* 2005; 2: 22-25.
125. Suchoff, I.B., Ciuffreda, K.J. A primer for the optometric management of unilateral spatial inattention. *J Am Optom.* 2004 ;75: 305-19.
126. Suchoff, I.B., Ciuffreda, K.J., Kapoor, N., eds. *Visual and vestibular Consequences of Acquired Brain Injury.* Santa Ana, CA: Optometric Extension Program Foundation, 2001.
127. Suchoff, I.B., Gianutsos, R. Rehabilitative optometric interventions for the adult with acquired brain injury. In: Grabois M, Garrison SJ, Hart KA, et al., eds. *Physical Medicine and Rehabilitation:The Complete Approach.* Malden, MA: Blackwell Science, 2000;608-21.
128. Suchoff, I.B., Gianutsos, R., Ciuffreda, K., Groffman, S.I. Vision impairments related to acquired brain injury. In: Silverstone B, Lang MA, Rosenthal BP, et al., eds. *The Lighthouse Handbook on Vision Impairment*, Vol. 1. New York: Oxford University Press, 2000: 517-39
129. Suchoff, I.B., Kapoor, N., Ciuffreda, K.J., Rutner, D., et al. The frequency of occurrence, types, and characteristics of visual field defects in acquired brain injury: A retrospective analysis. *J of the Am Optom Assn* 2008; 79: 259-65.
130. Suchoff, I.B., Kapoor, N., Waxman, R., Ference, W. The occurrence of ocular and visual dysfunctions in an acquired brain-injured sample. *J Am Optom Assoc* 1999; 70: 301-8.
131. Suchoff, I.B., Han, E., Craig, S., Rutner, D., Kapoor, N., Ciuffreda, K. The Frequency of Occurrence, types and Characteristics of Visual Field Defects in Brain Injury: A Retrospective Analysis. *J Am Optom Assoc* 5/2008;79: 259-256.
132. Suter, P.S., Harvey, I. (eds). *Vision Rehabilitation: Multidisciplinary Care of the Patient Following Brain Injury.* CRC Press:2011
133. Suter, P.S. A quick start in post-acute vision rehabilitation in brain injury. *J Optom Vis Dev* 1999; 30: 73-82.
134. Suter, P.S. Rehabilitation and management of visual dysfunction following traumatic brain injury. In: Ashly, MJ eds. *Traumatic Brain Injury Rehabilitative Treatment and Case Management*, 2nd edition. Boca Raton, Fla.: CRC Press, 2004:209-49.
135. Suter, P.S., Margolis, N. Managing visual field defects following acquired brain injury. *Brain Injury/Professional.* 2005; 2: 26-8.
136. Suter, P.S. Ch 9: Rehabilitation and Management of Visual Dysfunction Following Brain Injury. *Traum Brain Inj Rehab.* Ashle, Mark, Krych, Davied Eds. CRC Press Inc.1995.
137. Suter, Penelope S., A Quick Start in Post-Acute Vision Rehabilitation Following Brain Injury. *J Optom Vis Dev.* Vol. 30, Summer 1999; 73-82.
138. Szymanowicz, D., Ciuffreda, K.J., Thiagarajan, P., Ludlam, D.P., Green, W., Kapoor, N. Vergence in mild traumatic brain injury: a pilot study. *Journal Rehabilitation Research and Development* 2012; 49 (7): 1083-1100.
139. Thiagarjan, P., Lakshminarayanan, V., Bobier, W.R. Effect of vergence adaptationand positive fusional vergence training on oculomotor parameters. *Optom Vis Sci* 2010: 87 (7): 487-93.
140. Thomas, J., The Pathobiological Neuro-Biochemical Cellular Basis of Post –Trauma Vision Syndrome (Part III). *The Inside View Newsletter*, The Centre for Neuro Skills, Issue 8.5. ISSN# 1065-7320, Winter 2000.
141. Tierney, D.W. Visual dysfunction in closed head injury. *J Am Optom Assoc* 1988; 59: 614-22.
142. Ventura, R.E., Balcer L.J., and Galetta, S.L. The neuro-ophthalmology of head trauma. *Lancet.* 2014; 13: 1006-1016.
143. Vogel, M.S. An overview of head trauma for the primary care practitioner: Part II—Ocular damage associated with head trauma. *J Am Optom Assoc* 1992; 63: 542-6.
144. Waiss, B., Soden, R. Head trauma and low vision: clinical modifications for diagnosis and prescription. *J Am Optom Assoc* 1992; 63: 559-63.
145. Warren, M. A hierarchical model for evaluation and treatment of visual perceptual dysfunction in adult acquired brain injury, part 1. *The Am J Occup Th* 1/93;47(1):42-54.
146. Warren, M. A hierarchical model for evaluation and treatment of visual perceptual dysfunction in adult acquired brain injury, part 2. *Am J Occup Th* 1/93;47(1):55-66.
147. Weiss, L.M. Visual-Vestibular Interaction in the Acquired Brain Injured Patient. *J Optom Vis Devel* 2002; 33: 33-41.
148. Zasler, N.D., Katz, D.I., Zafonte. *Brain injury medicine: principles and practice.* Demos; NY; 2006.
149. Zoltan, B. Remediation of visual perdeptual and perceptual-motor deficits. In Rosenthal's *Rehabilitation of the adult and child with traumatic brain injury.* 2:F.A. Davis Company, Philadelphia, 1990:360-363.
150. Zoltan, B, Siev E, Freishtat B. *The Adult Stroke Patient.* Slack Inc., Thorofare, NJ 1986.

- 151.Zoltan, B. Vision, Perception and Cognition 3rd ed. Slack Inc., Thorofare, NJ 1996.
- 152.Zoltan, B. Visual, visual perceptual and perceptual-motor defects in brain – injured adults. In Kraft GH, Berrol S (eds). North Physical medicine and Rehabilitation Clinics of America. Philadelphia WB Saunders: 1992
- 153.Zost, M. Diagnosis and management of visual dysfunction in cerebral injury. In: Maino, D., ed. Diagnosis and Management of Special Populations. St. Louis: CV Mosby, 1995; reprinted and published by agreement with Mosby by Optometric Extension Program, Santa Ana, CA; 2001:75-134.